

## AE-DC5322-G2 Dashcam

## **Key Features**

- Video: up to 1440P resolution, with 126° FOV (diagonal: 153°)
- Supports the access of one external 1080p camera
- Monitor: 3-in IPS with 960\*480 resolution
- Audio: supports MIC input and build-in loudspeaker output
- Positioning: supports GPS, OSD and GPS playback
- Communication: built-in Wi-Fi/BT module, 4G(optional)
- Storage: supports TF card storage (Max.128GB) and recording overwrite
- APP: supports preview, playback and editing parameters via APP
- G-sensor: adopts built-in Gyroscope, supports lock and backup the recordings when collision occurs, supports event detection
- Bluetooth: supports Bluetooth control
- Supports parking detection
- Easy installation and operation
- Supports ADAS, anti-collision detection, traffic signal prompt, etc.

# Available Model

AE-DC5322-G2






## Specifications


4

| Model                 | AE-DC5322-G2                      |
|-----------------------|-----------------------------------|
| Camera                |                                   |
| Image sensor          | CMOS                              |
| Resolution            | 1440p@25fps                       |
| Angle adjustment      | Diagonal: 153°; Horizontal: 126°  |
| Aperture              | F1.8                              |
| Video compression     | H.264                             |
| OSD                   | Display time, date, etc.          |
| Image format          | JPEG                              |
| Storage               | TF card, Max. 128 GB              |
| Communication module  | Wi-Fi, Bluetooth, 4G(Optional)    |
| Sensor                | G-sensor, GPS                     |
| Interfaces            |                                   |
| Power supply          | USB 2.0                           |
| Audio input           | MIC                               |
| Audio output          | Built-in Loudspeaker              |
| General               |                                   |
| Working temperature   | -20 °C to 70 °C (-4 °F to 158 °F) |
| Working humidity      | 95%                               |
| Power supply          | 5 VDC, 2 A                        |
| Power consumption     | Max. 5 W                          |
| Dimension (L x W x H) | 99.9 mm x 88.3 mm x 38.2 mm       |
| (without bracket)     | (3.94" x 3.47" x1.50")            |
| Weight                | 177 g( 0.39 lb.)                  |



### Dimensions









Distributed by

1

**HIKVISION** 

#### Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 overseasbusiness@hikvision.com

Hikvision USA T +1-909-895-0400 sales.use@hikvision.com

Hikvision Australia T +61-2-8599-4233 salesau@hikvision.com

Hikvision India T +91-22-28469900 sales@pramahikvision.com

Hikvision Canada T +1-866-200-8690 sales.canada@hikvision.com

Hikvision Thalland T +662-275-3949 sales.thailand@hikvision.com Hikvision Europe T +31-23-5642770 sales.eu@hikvision.com

Hikvision Italy T +39-0438-6902 into.it@hikvision.com

Hikvision Brazil T +55 11 3318-0050 Latam.support@hikvision.com

Hildvision Turkey T +90 (216)521 7070- 7074 sales.tr@hildvision.com

Hikvision Malaysia T +601-7652-2413 sales.my@hikvision.com Hikvision UK & Ireland T +01628-902140 sales.uk@hikvision.com

Hikvision South Africa Tel: +27 (10) 0351172 sale.africa@hikvision.com

Hikvision France T +33[0]1-85-330-450 Into.fr@hikvision.com

Hikvision Kazakhstan T +7-727-9730867 nikla.panfilov@hikvision.ru

Hikvision Vietnam T +84-974270888 sales.vt@hikvision.com Hikvision UAE T +971-4-4432090 salesme@hikvision.com

Hikvision Singapore T +85-6684-4718 sg@hikvision.com

Hikvision Spain T +34-91-737-16-55 into.es@hikvision.com

Hikvision Tashkent T +99-87-1238-9438 uzb@hikvision.tu

Hikvision Hong Kong T +852-2151-1761 info.hk@bilkvision.com

20190419

Hikvision Russia T +7-495-669-67-99 saleru@hikvision.com

Hikvision Korea T +82-(0)31-731-8817 sales.korea@hikvision.com

Hikvision Poland T +48-22-460-01-50 Info.pl@hikvision.com

Hikvision Indonesia T +62-21-2933759 Sales.Indonesia@hikvision.com

Hikvision Colombia sales.colombia@hikvision.com

© Hikvision Digital Technology Co., Ltd. 2018 | Data subject to change without notice |